

Product Technical Specifications



CCTV SECURITY CAMERA

SKU #

CESSU-2ACT620CVRA-W2



GESSU-2ACT620CVRA-W2


GESS ULTRA™

Excellent security camera 4 in 1 technology

AHD/TVI/CVI/Analog



4 in 1



1080p resolution



Weather proof



Vandal Resistant

MAIN FEATURES

- 1/2.7" 2MP CMOS
- AGC, AWB, AES
- 2D DNR, D-WDR, Smart IR Control
- Multi Languages OSD Control from Recorder
- HDCVI/HDTVI/AHD/ANALOG Output selectable from water Proof Toggle Switch
- DC12V

RECOMMENDED USE



This product is ideal for:

- Applications that require the camera to be mounted higher than normal installation heights; such as high ceilings or walls.
- Long Range distances.
- Commonly used in Outdoor Applications.

IP 66

Totally protected against dust and water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.

DIMENSIONS





TECHNICAL SPECIFICATIONS

SKU #

GESSU-2ACT620CVRA-W2

Image Sensor	1/2.7" 2MP CMOS SONY
Signal System	NTSC/PAL
Effective Pixels	1928(H) x 1088(V)
Min. Illumination	Color: 0.1Lux@(F1.2, AGC ON) B&W: 0.01Lux@(F1.2, AGC ON)
Synchronization	Internal Synchronization
Video Output	CVI,TVI ,AHD (1080P@25fps,1080P@30fps) Analog (1280x576 , 1280x480)
S/N Ratio	41dB(AGC OFF)
NR	2DNR
Shutter	Auto
Day&Night	Smart / Color / B&W
White Balance	Auto / Manual
OSD	English ,Chinese,Spanish,Italian
AGC	Auto
IR LED	3 pcs IR Array
Lens	2.8-12mm
IR Range	40m
Power Supply	DC12V±10%
Power Consumption	<4W
Weight	610g
IP Rating	IP66
Storage Temperature	-20°C ~60°C
Working Temperature/Humidity	-10°C ~ 60°C, Humidity 90% or less (non-condensing)

🌐 www.gess-inc.com ✉ info@gess-in.com

USA | PUERTO RICO | COLOMBIA



GESS[®]
TECHNOLOGIES