

# Product Technical Specifications



CCTV SECURITY CAMERA

SKU #

CESSU-2ACT720HVRA-W2



CESS®  
TECHNOLOGIES

# GESSU-2ACT720HVRA-W2


## GESS ULTRA™

Excellent security camera 4 in 1 technology

AHD/TVI/CVI/Analog



4 in 1



1080p resolution



Weather proof



Vandal Resistant

## MAIN FEATURES

- 1/2.7" 2MP CMOS
- AGC, AWB, AES
- 2D DNR, D-Sony True WDR, Smart IR Control
- Multi Languages OSD Control from Recorder
- HD CVI /HD TVI/ AHD/ CVBS Output Selectable from Toggle Switch
- DC12V

## RECOMMENDED USE


This product is ideal for:

- Applications that require the camera to be mounted higher than normal installation heights; such as high ceilings or walls.
- Long Range distances.
- Commonly used in Outdoor Applications.

## IP 66

Totally protected against dust and water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.

## DIMENSIONS





## TECHNICAL SPECIFICATIONS

SKU #

# GESSU-2ACT720HVRA-W2

Image Sensor	1/2.7" 2MP CMOS
Signal System	NTSC/PAL
Effective Pixels	1928(H) x 1088(V)
Min. Illumination	"Color: 0.1Lux@(F1.2, AGC ON) B&W: 0.01Lux@(F1.2, AGC ON)"
Synchronization	Internal synchronization
Video Output	"CVI, TVI, AHD(1080P@25fps, 1080P@30fps) Analog (1280x576, 1280x480)"
S/N Ratio	41dB(AGC OFF)
NR	2D DNR
Shutter	Auto
Day&Night	Smart / Color / B&W
White Balance	Auto / Manual
OSD	English / Chinese / Spanish / Italian / Traditional Chinese
AGC	Auto
IR LED	4pcs IR Array
Lens	2.8-12mm
IR Range	50m
Power Supply	DC12V±10%
Power Consumption	<7.5W
Weight	880g
IP Rating	IP66
Storage Temperature	-20°C~60°C
Working Temperature/Humidity	-10°C ~60°C, Humidity 90% or less (non-condensing)

🌐 [www.gess-inc.com](http://www.gess-inc.com) ✉ [info@gess-in.com](mailto:info@gess-in.com)

USA | PUERTO RICO | COLOMBIA



**GESS**<sup>®</sup>  
TECHNOLOGIES