

Product Technical Specifications



CCTV SECURITY CAMERA

SKU #

CESSX-2ACT620CMVRAS-W2



CESS®
TECHNOLOGIES

GESSX-2ACT620CMVRAS-W2




GESS XTREME™

Excellent security camera 4 in 1 technology

AHD/TVI/CVI/Analog

4 in 1

4 in 1



1080p resolution



Weather proof



Vandal Resistant

MAIN FEATURES

- 1/2.8" 2.16MP SONY STARVIS CMOS
- 100 dB Double Shutter WDR
- Auto Defog, HLC, Privacy mask, motion detection, 32X Sense up
- HDCVI/HDTVI/AHD(output Selectable from OSD Switch)
& CVBS output simultaneously
- Multi Languages OSD Control from Recorder
- Built-in Mic(Optional)
- DC12V

RECOMMENDED USE


This product is ideal for:

- Applications that require the camera to be mounted higher than normal installation heights; such as high ceilings or walls.
- Long Range distances.
- Commonly User in Outdoor Applications.

IP 66

Totally protected against dust and water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.

DIMENSIONS





TECHNICAL SPECIFICATIONS

SKU #

GESSX-2ACT620CMVRAS-W2

Image Sensor	1/2.8" 2.16MP SONY STARVIS CMOS
Effective Pixels	1945(H) 1097 (V)
Resolution	Digital: 1920 x 1080p (1080p/30fps) Analog:700TVL
S/N Ratio	≥ 50dB (AGC Off)
Min. Illumination	COLOR0.00 1Lux@(F2.0AGC ON) B&W0.0001Lux@(F2.0AGC ON)
Scanning System	Progressive
Video Output	Digital: HD-CVI (TVI AHD)(1080P - 720P) Analog: 1Vp-p Composite Output (75Ω/BNC)
Day&Night	EXTERN,COLOR, B&W,AUTO
White Balance	Auto
OSD	English / Chinese
Defog	OFF/ON
WDR	OFF/LOW/MIDDLE/HIGH
Privacy Mask	ON/OFF (16 Areas)
Motion Detection	ON/OFF (4 Areas)
IR LED	3pcs IR Array
Lens	2.8-12mm Auto Focus
IR Range	40m
Power Supply	DC12V±10%
Power Consumption	<5W
Weight	510g
IP Rating	IP66
Storage Temperature	.-20~60 °C
Working Temperature/Humidity	-10 ~60 °C, Humidity 90% or less (non-condensing)

🌐 www.gess-inc.com ✉ info@gess-in.com

USA | PUERTO RICO | COLOMBIA



GESS[®]
TECHNOLOGIES